

DDSE-Q 2 Tools DDE Station with Electric Pump



The DDSE station is a complete solution to rework circuits with T245 General Purpose Handle and DR560 Desoldering Iron.

Rating: Not Rated Yet  
[Ask a question about this product](#)

Description

The DDE Control Unit manages up to 2 tools simultaneously and is fully compatible with 10 different JBC tools. Check below the complete list of compatible tools.

The MSE Electric Desoldering Module generates the vacuum needed to remove the molten solder from plated through holes and surface mount pads with the DR560.

It provides the best soldering quality thanks to JBC Most Efficient Soldering System and additionally Sleep & Hibernation modes help to extend life of tips.

# Soldering: DDSE-Q 2 Tools DDE Station with Electric Pump

---

It features all the Excellence range benefits such as station customization, full control of soldering processes and remote work management.

With the practical Cartridge Holder SCH-A the different cartridges are always stored nearby.

## REFERENCES

### DDSE-9QC

100 V

### DDSE-1QC

120 V

### DDSE-2QC

230 V

## PRODUCT COMPOSITION

- 1  
DDE 2 Tools Control Unit

- 1  
MSE-A Electric Desoldering Module for DDE & DME

- 1  
T245-A General Purpose Handle  
(cartridge not included)

- 1  
DR560-A Desoldering Iron

- 1  
AD-SE Stand for T210 & T245 Handles

- 1  
DR-SE Stand for DR560

- 1  
SCH-A Cartridge Holder

- 1  
CL8499 Manual Tip Cleaner

## SPECIFICATIONS DDSE-Q STATION

### Selectable Temperature

90 to 450 °C / 190 to 840 °F

Vacuum

75% / 570 mmHg / 22.4 inHg

Flow rate

9 SLPM

CONNECTIVITY

USB-B (rear)

Software PC / Traceability

USB-A (front)

Firmware update Soldering Graphics management

Robot

RS-232 remote control or Smart Fume Extractor connection.

Equipotential bonding

Optional connection to EPA

ESD/EOS

ESD safe

Tip to ground resistance

Tip to ground voltage

POWER SUPPLY

Peak power

150 W per tool – 23.5 V

Ambient operating temp.

10 to 50 °C / 50 to 120 °F

DIMENSIONS AND WEIGHT

Control Unit

148 x 120 x 232 mm / 3.82 kg

5.8 x 4.7 x 9.1 in / 8.41 lb

Package

368 x 474 x 195 mm / 10.39 kg

14.5 x 18.7 x 7.7 in / 22.91 lb

**Reviews**

There are yet no reviews for this product.