

CP-Q Micro Tweezers Station



The CP Station is the best solution for soldering and rework of SMT components like chips and small/medium SOP that require the highest precision. See video for soldering examples.

Rating: Not Rated Yet

[Ask a question about this product](#)

Description

It provides the best soldering quality thanks to JBC Most Efficient Soldering System and additionally Hibernation mode help to extend life of tips.

This station comes with the Adjustable Micro Tweezers AM120 that works with C120 cartridges.

As all the Compact Stations, the CP has a menu with more than 10 parameters to customize the control unit.

REFERENCES

CP-9QE

100 V

CP-1QE

120 V

CP-2QE

230 V

PRODUCT COMPOSITION

- 1
CP Control Unit

- 1


SPECIFICATIONS CP-Q STATION

Selectable Temperature
90 to 450 °C / 190 to 840 °F

CONNECTIVITY

USB-B
Software PC / Firmware update

Equipotential bonding
Optional connection to EPA

ESD/EOS

ESD safe

Tip to ground resistance

Tip to ground voltage

POWER SUPPLY

Peak power

80 W - 23,5 V

Ambient operating temp.

10 to 50 °C / 50 to 120 °F

DIMENSIONS AND WEIGHT

Control Unit

150 x 175 x 145 mm / 2.70 kg

5.9 x 6.9 x 5.7 in / 5.96 lb

Package

234 x 234 x 258 mm / 3.15 kg

9.2 x 9.2 x 10.2 in / 6.94 lb

Reviews

There are yet no reviews for this product.