

M Series Cross Reference



M Series Cross Reference

Rating: Not Rated Yet
[Ask a question about this product](#)

Description	600°F Type Cartridges (325°C - 358°C)	TT Part #	Metcal® Part #	Product Description
		M6B325	STTC-040	Bent Sharp 30° 0.4mm (0.016")
		M6B325H	N/A	Bent Sharp 30° 0.4mm (0.016"), Power Plus
		M6BS375	N/A	Bent Sharp 0.25mm (0.01")
		M6BS602	STTC-047P	Bevel 60° 1.8mm (0.07")
		M6BV007	N/A	Bevel 45° 0.7mm (0.028"), Micro Fine
		M6BV010	N/A	Bevel 60° 1.00mm (0.04")

Soldering: M Series Cross Reference

M6BV010H	N/A	Bevel 60° 1.10mm (0.04"), Power Plus
M6BV020H	N/A	Bevel 45° 2.00mm (0.08"), Power Plus
M6BV030	N/A	Bevel 45° 3.00mm (0.12")
M6BV030H	N/A	Bevel 45° 3.00mm (0.12"), Power Plus
M6BV040H	N/A	Bevel 45° 4.00mm (0.16"), Power Plus
M6BV050H	N/A	Bevel 45° 5.00mm (0.20"), Power Plus
M6BV060H	N/A	Bevel 45° 6.00mm (0.24"), Power Plus
M6BV350	STTC-047	Bevel 60° 1.78mm (0.07")
M6BVF010H	N/A	Bevel 60° 1.00mm (0.04"), Tin Area Face Only, Power Plus
M6BVF020H	N/A	Bevel 45° 2.00mm (0.08"), Tin Area Face Only, Power Plus
M6BVF030H	N/A	Bevel 45° 3.00mm (0.12"), Tin Area Face Only, Power Plus
M6BVF050H	N/A	Bevel 45° 5.00mm (0.20"), Tin Area Face Only, Power Plus
M6BVF060H	N/A	Bevel 45° 6.00mm (0.24"), Tin Area Face Only, Power Plus
M6C001	N/A	Conical 0.10mm (0.004"), Micro Fine
M6C002	N/A	Conical 0.20mm (0.008"), Micro Fine
M6C004	N/A	Conical 0.40mm (0.016"), Micro Fine
M6C300	STTC-045	Conical 0.4mm (0.016")
M6C300H	N/A	Conical 0.4mm (0.016"), Power Plus
M6C301	STTC-016	Conical 0.5mm (0.02")
M6CB012H	N/A	Chisel Bent 30° 1.2mm (0.05"), Power Plus
M6CB035H	N/A	Chisel Bent 30° 3.5mm (0.14"), Power Plus
M6CB224	N/A	Chisel Bent 30° 1.0mm (0.04")
M6CB225	STTC-098	Chisel Bent 30° 1.78mm (0.07")
M6CB226	STTC-099	Chisel Bent 30° 1.5mm (0.06")
M6CH004	N/A	Chisel 30° 0.4mm (0.016"), Micro Fine
M6CH006	N/A	Chisel 30° 0.6mm (0.024"), Micro Fine
M6CH008	N/A	Chisel 30° 0.8mm (0.031"), Micro Fine
M6CH012	N/A	Chisel 30° 1.20mm (0.047")
M6CH016	N/A	Chisel 30° 1.60mm (0.06")
M6CH024	N/A	Chisel 30° 2.40mm (0.09")
M6CH030	N/A	Chisel 30° 3.00mm (0.12")
M6CH032H	N/A	Chisel 30° 3.20mm (0.13"), Power Plus
M6CH038	STTC-020	Chisel 30° 3.80mm (0.15")
M6CH052	N/A	Chisel 30° 5.20mm (0.20")
M6CH060H	N/A	Chisel 50%deg; 6.00mm (0.24"), Power Plus
M6CH080H	N/A	Chisel 90%deg; 8.0mm (0.32"), Power Plus
M6CH175	STTC-036	Chisel 30° 2.5mm (0.10")
M6CH175H	N/A	Chisel 30° 2.5mm

M6CH176	STTC-037	(0.10"), Power Plus
M6CH176H	N/A	Chisel 30° 1.78mm (0.07")
M6CH177	STTC-038	Chisel 30° 1.78mm
M6CH177H	N/A	(0.07"), Power Plus
M6CH178	STTC-025	Chisel 30° 1.5mm (0.06")
M6CH178H	N/A	Chisel 30° 1.5mm
M6CH179	STTC-025P	(0.06"), Power Plus
M6CH180	STTC-003	Chisel 30° 1.0mm (0.04")
M6CH181	STTC-013	Chisel 30° 1.0mm
M6CH250	STTC-017	(0.04"), Power Plus
M6CH250H	N/A	Chisel 30° 1.0mm (0.04")
M6CP200	STTC-036P	Chisel 90° 3.0mm (0.12")
M6CP201	STTC-037P	Chisel 90° 3.0mm (0.12")
M6CP202	STTC-038P	Chisel Extra Large 5.0mm
M6CP302	STTC-045P	(0.20")
M6CP303	STTC-001P	Chisel Extra Large 5.0mm
M6CP303H	N/A	(0.20"), Power Plus
M6CS014H	N/A	Chisel 30° 2.5mm (0.10")
M6CS150	STTC-006	Chisel 30° 1.80mm (0.07")
M6CS151	STTC-001	Chisel 30° 1.50mm (0.06")
M6CS151H	N/A	Conical 0.4mm (0.016")
M6CS152	STTC-022	Conical Sharp 1.0mm
M6CS152H	N/A	(0.04")
M6CS154	STTC-007	Conical Sharp 1.0mm
M6CS155	STTC-043	(0.04"), Power Plus
M6DS023H	N/A	Conical Sharp 1.4mm
M6DS035H	N/A	(0.055"), Power Plus
M6DS525	SMTC-0147	Conical Sharp 0.4mm
M6DS526	SMTC-0173	(0.016")
M6DS526H	N/A	Conical Sharp 0.5mm
M6DS529	SMTC-0167	(0.02"), Power Plus
M6K047	N/A	Conical Sharp 1.0mm
M6K100	SMTC-0161	(0.04")
M6K100H	N/A	Conical Sharp 1.0mm
M6LB124	SMTC-064, SMTC-OBL050	(0.04"), Power Plus
M6LB125	SMTC-060, SMTC-OBL100	Conical Sharp 0.4mm
M6LB126	SMTC-061, SMTC-OBL150	(0.016")
M6LB127	SMTC-062	Conical Sharp 0.5mm
M6LB128	N/A	(0.02"), Power Plus
M6LC650	STTC-065	Conical Sharp 1.0mm
M6LR400	STTC-046	(0.04")
		Conical Sharp 0.5mm
		(0.02")
		Hoof 60° 3.10mm
		(0.122"), Power Plus
		Knife 3.50mm
		(0.138"), Power Plus
		Hoof 60° 3.3mm (0.13")
		Knife 4.83mm (0.19"),
		Increased Tin Area 5.84mm
		(0.23")
		Knife 4.50mm (0.177"),
		Increased Tin Area 6.1mm
		(0.24"), Power Plus
		Hoof 60° 1.52mm (0.06")
		Knife 4.70mm (0.185")
		Knife 4.83mm (0.19"), Tin
		Area 2.03mm (0.08")
		Knife 4.50mm
		(0.177"), Power Plus
		Blade Tip 5.00mm (0.20")
		Blade Tip 10.41mm (0.41")
		Blade Tip 15.75mm (0.62")
		Blade Tip 22.1 mm (0.87")
		Blade Tip 30.0 mm (1.18")
		Chisel Extra Large 5.0mm
		(0.20")
		Bevel 60° Long Reach

Soldering: M Series Cross Reference

M6LR401	SMTC-0170	1.0mm (0.04") Hoof Long Reach 60° 3.05mm (0.12")
M6LR403	STTC-042	Chisel 60° Long Reach 1.78mm (0.07")
M6MD575	SMTC-0172	Hook Long 30° Fine 0.51mm (0.02")
M6MF375	STTC-090	Micro Fine 0.25mm (0.01")
M6MF375H	N/A	Micro Fine 0.25mm (0.01"), Power Plus
M6SB275	STTC-026	Bent Sharp 30° 0.4mm (0.016")
M6SB275H	N/A	Bent Sharp 30° 0.5mm (0.02"), Power Plus
M6SB276	STTC-044	Bent Sharp 30° 0.5mm (0.02")
M6SB276H	N/A	Bent Sharp 30° 0.5mm (0.02"), Power Plus
M6WV020	N/A	Hoof w/Dent 45° 2.00mm (0.08")
M6WV031	N/A	Hoof w/Dent 60° 3.10mm (0.122")
M6WV300	N/A	Hoof w/Dent 45° 2.40mm (0.09")

700°F Type Cartridges (350°C - 398°C)	TT Part #	Metcal® Part #	Product Description
	M7B325	STTC-140	Bent Sharp 30° 0.4mm (0.016")
	M7B325H	N/A	Bent Sharp 30° 0.4mm (0.016"), Power Plus
	M7BS375	N/A	Bent Sharp 0.25mm (0.01")
	M7BS602	STTC-147P	Bevel 60° 1.8mm (0.07")
	M7BV007	N/A	Bevel 45° 0.7mm (0.028"), Micro Fine
	M7BV010	N/A	Bevel 60° 1.00mm (0.04")
	M7BV010H	N/A	Bevel 60° 1.10mm (0.04"), Power Plus
	M7BV020H	N/A	Bevel 45° 2.00mm (0.08"), Power Plus
	M7BV030	N/A	Bevel 45° 3.00mm (0.12")
	M7BV030H	N/A	Bevel 45° 3.00mm (0.12"), Power Plus
	M7BV040H	N/A	Bevel 45° 4.00mm (0.16"), Power Plus
	M7BV050H	N/A	Bevel 45° 5.00mm (0.20"), Power Plus
	M7BV060H	N/A	Bevel 45° 6.00mm (0.24"), Power Plus
	M7BV350	STTC-147	Bevel 60° 1.78mm (0.07")
	M7BVF010H	N/A	Bevel 60° 1.00mm (0.04"), Tin Area Face Only, Power Plus
	M7BVF020H	N/A	Bevel 45° 2.00mm (0.08"), Tin Area Face Only, Power Plus
	M7BVF030H	N/A	Bevel 45° 3.00mm (0.12"), Tin Area Face Only, Power Plus
	M7BVF050H	N/A	Bevel 45° 5.00mm (0.20"), Tin Area Face Only, Power Plus
	M7BVF060H	N/A	Bevel 45° 6.00mm (0.24"), Tin Area Face Only, Power Plus
	M7C001	N/A	Conical 0.10mm (0.004"), Micro Fine
	M7C002	N/A	Conical 0.20mm (0.008"), Micro Fine
	M7C004	N/A	Conical 0.40mm (0.016"), Micro Fine
	M7C300	STTC-145	Conical 0.4mm (0.016")
	M7C300H	N/A	Conical 0.4mm (0.016"), Power Plus
	M7C301	STTC-116	Conical 0.5mm (0.02")

Soldering: M Series Cross Reference

M7CB012H	N/A	Chisel Bent 30° 1.2mm (0.05"), Power Plus
M7CB035H	N/A	Chisel Bent 30° 3.5mm (0.14"), Power Plus
M7CB224	N/A	Chisel Bent 30° 1.0mm (0.04")
M7CB225	STTC-198	Chisel Bent 30° 1.78mm (0.07")
M7CB226	STTC-199	Chisel Bent 30° 1.5mm (0.06")
M7CH004	N/A	Chisel 30° 0.4mm (0.016"), Micro Fine
M7CH006	N/A	Chisel 30° 0.6mm (0.024"), Micro Fine
M7CH008	N/A	Chisel 30° 0.8mm (0.031"), Micro Fine
M7CH012	N/A	Chisel 30° 1.20mm (0.047")
M7CH016	N/A	Chisel 30° 1.60mm (0.06")
M7CH024	N/A	Chisel 30° 2.40mm (0.09")
M7CH030	N/A	Chisel 30° 3.00mm (0.12")
M7CH032H	N/A	Chisel 30° 3.20mm (0.13"), Power Plus
M7CH038	STTC-120	Chisel 30° 3.80mm (0.15")
M7CH052	N/A	Chisel 30° 5.20mm (0.20")
M7CH060H	N/A	Chisel 50%deg; 6.00mm (0.24"), Power Plus
M7CH080H	N/A	Chisel 90%deg; 8.0mm (0.32"), Power Plus
M7CH175	STTC-136	Chisel 30° 2.5mm (0.10")
M7CH175H	N/A	Chisel 30° 2.5mm (0.10"), Power Plus
M7CH176	STTC-137	Chisel 30° 1.78mm (0.07")
M7CH176H	N/A	Chisel 30° 1.78mm (0.07"), Power Plus
M7CH177	STTC-138	Chisel 30° 1.5mm (0.06")
M7CH177H	N/A	Chisel 30° 1.5mm (0.06"), Power Plus
M7CH178	STTC-125	Chisel 30° 1.0mm (0.04")
M7CH178H	N/A	Chisel 30° 1.0mm (0.04"), Power Plus
M7CH179	STTC-125P	Chisel 30° 1.0mm (0.04")
M7CH180	STTC-103	Chisel 90° 3.0mm (0.12")
M7CH181	STTC-113	Chisel 90° 3.0mm (0.12")
M7CH250	STTC-117	Chisel Extra Large 5.0mm (0.20")
M7CH250H	N/A	Chisel Extra Large 5.0mm (0.20"), Power Plus
M7CP200	STTC-136P	Chisel 30° 2.5mm (0.10")
M7CP201	STTC-137P	Chisel 30° 1.80mm (0.07")
M7CP202	STTC-138P	Chisel 30° 1.50mm (0.06")
M7CP302	STTC-145P	Conical 0.4mm (0.016")
M7CP303	STTC-101P	Conical Sharp 1.0mm (0.04")
M7CP303H	N/A	Conical Sharp 1.0mm (0.04"), Power Plus
M7CS014H	N/A	Conical Sharp 1.4mm (0.055"), Power Plus
M7CS150	STTC-106	Conical Sharp 0.4mm (0.016")
M7CS151	STTC-101	Conical Sharp 1.0mm (0.04")
M7CS151H	N/A	Conical Sharp 1.0mm (0.04"), Power Plus
M7CS152	STTC-122	Conical Sharp 0.4mm (0.016")
M7CS152H	N/A	Conical Sharp 0.5mm (0.02"), Power Plus
M7CS154	STTC-107	Conical Sharp 1.0mm (0.04")
M7CS155	STTC-143	Conical Sharp 0.5mm (0.02")
M7DS023H	N/A	Hoof 60° 3.10mm (0.122"), Power Plus
M7DS035H	N/A	Knife 3.50mm (0.138"), Power Plus
M7DS525	SMTC-1147	Hoof 60° 3.3mm (0.13")
M7DS526	SMTC-1173	Knife 4.83mm (0.19"), Increased Tin Area 5.84mm (0.23")

Soldering: M Series Cross Reference

M7DS526H	N/A	Knife 4.50mm (0.177"), Increased Tin Area 6.1mm (0.24"), Power Plus
M7DS529	SMTC-1167	Hoof 60° 1.52mm (0.06")
M7K047	N/A	Knife 4.70mm (0.185")
M7K100	SMTC-1161	Knife 4.83mm (0.19"), Tin Area 2.03mm (0.08")
M7K100H	N/A	Knife 4.50mm (0.177"), Power Plus
M7LB124	SMTC-164, SMTC-1BL050	Blade Tip 5.00mm (0.20")
M7LB125	SMTC-160, SMTC-1BL100	Blade Tip 10.41mm (0.41")
M7LB126	SMTC-161, SMTC-1BL150	Blade Tip 15.75mm (0.62")
M7LB127	SMTC-162	Blade Tip 22.1 mm (0.87")
M7LB128	N/A	Blade Tip 30.0 mm (1.18")
M7LC650	STTC-165	Chisel Extra Large 5.0mm (0.20")
M7LR400	STTC-146	Bevel 60° Long Reach 1.0mm (0.04")
M7LR401	SMTC-1170	Hoof Long Reach 60° 3.05mm (0.12")
M7LR403	STTC-142	Chisel 60° Long Reach 1.78mm (0.07")
M7MD575	SMTC-1172	Hook Long 30° Fine 0.51mm (0.02")
M7MF375	STTC-190	Micro Fine 0.25mm (0.01")
M7MF375H	N/A	Micro Fine 0.25mm (0.01"), Power Plus
M7SB275	STTC-126	Bent Sharp 30° 0.4mm (0.016")
M7SB275H	N/A	Bent Sharp 30° 0.5mm (0.02"), Power Plus
M7SB276	STTC-144	Bent Sharp 30° 0.5mm (0.02")
M7SB276H	N/A	Bent Sharp 30° 0.5mm (0.02"), Power Plus
M7WV020	N/A	Hoof w/Dent 45° 2.00mm (0.08")
M7WV031	N/A	Hoof w/Dent 60° 3.10mm (0.122")
M7WV300	N/A	Hoof w/Dent 45° 2.40mm (0.09")

800°F Type Cartridges (420°C - 475°C)	TT Part #	Metcal® Part #	Product Description
	M8B325	STTC-840	Bent Sharp 30° 0.4mm (0.016")
	M8B325H	N/A	Bent Sharp 30° 0.4mm (0.016"), Power Plus
	M8BS375	N/A	Bent Sharp 0.25mm (0.01")
	M8BS602	STTC-847P	Bevel 60° 1.8mm (0.07")
	M8BV007	N/A	Bevel 45° 0.7mm (0.028"), Micro Fine
	M8BV010	N/A	Bevel 60° 1.00mm (0.04")
	M8BV010H	N/A	Bevel 60° 1.10mm (0.04"), Power Plus
	M8BV020H	N/A	Bevel 45° 2.00mm (0.08"), Power Plus
	M8BV030	N/A	Bevel 45° 3.00mm (0.12")
	M8BV030H	N/A	Bevel 45° 3.00mm (0.12"), Power Plus
	M8BV040H	N/A	Bevel 45° 4.00mm (0.16"), Power Plus
	M8BV050H	N/A	Bevel 45° 5.00mm (0.20"), Power Plus
	M8BV060H	N/A	Bevel 45° 6.00mm (0.24"), Power Plus
	M8BV350	STTC-847	Bevel 60° 1.78mm (0.07")
	M8BVF010H	N/A	Bevel 60° 1.00mm (0.04"), Tin Area Face Only, Power Plus

Soldering: M Series Cross Reference

M8BVF020H	N/A	Bevel 45° 2.00mm (0.08"), Tin Area Face Only, Power Plus
M8BVF030H	N/A	Bevel 45° 3.00mm (0.12"), Tin Area Face Only, Power Plus
M8BVF050H	N/A	Bevel 45° 5.00mm (0.20"), Tin Area Face Only, Power Plus
M8BVF060H	N/A	Bevel 45° 6.00mm (0.24"), Tin Area Face Only, Power Plus
M8C001	N/A	Conical 0.10mm (0.004"), Micro Fine
M8C002	N/A	Conical 0.20mm (0.008"), Micro Fine
M8C004	N/A	Conical 0.40mm (0.016"), Micro Fine
M8C300	STTC-845	Conical 0.4mm (0.016")
M8C300H	N/A	Conical 0.4mm (0.016"), Power Plus
M8C301	STTC-816	Conical 0.5mm (0.02")
M8CB012H	N/A	Chisel Bent 30° 1.2mm (0.05"), Power Plus
M8CB035H	N/A	Chisel Bent 30° 3.5mm (0.14"), Power Plus
M8CB224	N/A	Chisel Bent 30° 1.0mm (0.04")
M8CB225	STTC-898	Chisel Bent 30° 1.78mm (0.07")
M8CB226	STTC-899	Chisel Bent 30° 1.5mm (0.06")
M8CH004	N/A	Chisel 30° 0.4mm (0.016"), Micro Fine
M8CH006	N/A	Chisel 30° 0.6mm (0.024"), Micro Fine
M8CH008	N/A	Chisel 30° 0.8mm (0.031"), Micro Fine
M8CH012	N/A	Chisel 30° 1.20mm (0.047")
M8CH016	N/A	Chisel 30° 1.60mm (0.06")
M8CH024	N/A	Chisel 30° 2.40mm (0.09")
M8CH030	N/A	Chisel 30° 3.00mm (0.12")
M8CH032H	N/A	Chisel 30° 3.20mm (0.13"), Power Plus
M8CH038	STTC-820	Chisel 30° 3.80mm (0.15")
M8CH052	N/A	Chisel 30° 5.20mm (0.20")
M8CH060H	N/A	Chisel 50%deg; 6.0mm (0.24"), Power Plus
M8CH080H	N/A	Chisel 90%deg; 8.0mm (0.32"), Power Plus
M8CH175	STTC-836	Chisel 30° 2.5mm (0.10")
M8CH175H	N/A	Chisel 30° 2.5mm (0.10"), Power Plus
M8CH176	STTC-837	Chisel 30° 1.78mm (0.07")
M8CH176H	N/A	Chisel 30° 1.78mm (0.07"), Power Plus
M8CH177	STTC-838	Chisel 30° 1.5mm (0.06")
M8CH177H	N/A	Chisel 30° 1.5mm (0.06"), Power Plus
M8CH178	STTC-825	Chisel 30° 1.0mm (0.04")
M8CH178H	N/A	Chisel 30° 1.0mm (0.04"), Power Plus
M8CH179	STTC-825P	Chisel 30° 1.0mm (0.04")
M8CH180	STTC-803	Chisel 90° 3.0mm (0.12")
M8CH181	STTC-813	Chisel 90° 3.0mm (0.12")
M8CH250	STTC-817	Chisel Extra Large 5.0mm (0.20")
M8CH250H	N/A	Chisel Extra Large 5.0mm (0.20"), Power Plus
M8CP200	STTC-836P	Chisel 30° 2.5mm (0.10")
M8CP201	STTC-837P	Chisel 30° 1.80mm (0.07")
M8CP202	STTC-838P	Chisel 30° 1.50mm (0.06")
M8CP302	STTC-845P	Conical 0.4mm (0.016")
M8CP303	STTC-801P	Conical Sharp 1.0mm (0.04")
M8CP303H	N/A	Conical Sharp 1.0mm (0.04"), Power Plus

Soldering: M Series Cross Reference

M8CS014H	N/A	Conical Sharp 1.4mm (0.055"), Power Plus
M8CS150	STTC-806	Conical Sharp 0.4mm (0.016")
M8CS151	STTC-801	Conical Sharp 1.0mm (0.04")
M8CS151H	N/A	Conical Sharp 1.0mm (0.04"), Power Plus
M8CS152	STTC-822	Conical Sharp 0.4mm (0.016")
M8CS152H	N/A	Conical Sharp 0.5mm (0.02"), Power Plus
M8CS154	STTC-807	Conical Sharp 1.0mm (0.04")
M8CS155	STTC-843	Conical Sharp 0.5mm (0.02")
M8DS023H	N/A	Hoof 60° 3.10mm (0.122"), Power Plus
M8DS035H	N/A	Knife 3.50mm (0.138"), Power Plus
M8DS525	SMTC-8147	Hoof 60° 3.3mm (0.13")
M8DS526	SMTC-8173	Knife 4.83mm (0.19"), Increased Tin Area 5.84mm (0.23")
M8DS526H	N/A	Knife 4.50mm (0.177"), Increased Tin Area 6.1mm (0.24"), Power Plus
M8DS529	SMTC-8167	Hoof 60° 1.52mm (0.06")
M8K047	N/A	Knife 4.70mm (0.185")
M8K100	SMTC-8161	Knife 4.83mm (0.19"), Tin Area 2.03mm (0.08")
M8K100H	N/A	Knife 4.50mm (0.177"), Power Plus
M8LB124	SMTC-864, SMTC-8BL050	Blade Tip 5.00mm (0.20")
M8LB125	SMTC-860, SMTC-8BL100	Blade Tip 10.41mm (0.41")
M8LB126	SMTC-861, SMTC-8BL150	Blade Tip 15.75mm (0.62")
M8LB127	SMTC-862	Blade Tip 22.1 mm (0.87")
M8LB128	N/A	Blade Tip 30.0 mm (1.18")
M8LC650	STTC-865	Chisel Extra Large 5.0mm (0.20")
M8LR400	STTC-846	Bevel 60° Long Reach 1.0mm (0.04")
M8LR401	SMTC-8170	Hoof Long Reach 60° 3.05mm (0.12")
M8LR403	STTC-842	Chisel 60° Long Reach 1.78mm (0.07")
M8MD575	SMTC-8172	Hook Long 30° Fine 0.51mm (0.02")
M8MF375	STTC-890	Micro Fine 0.25mm (0.01")
M8MF375H	N/A	Micro Fine 0.25mm (0.01"), Power Plus
M8SB275	STTC-826	Bent Sharp 30° 0.4mm (0.016")
M8SB275H	N/A	Bent Sharp 30° 0.5mm (0.02"), Power Plus
M8SB276	STTC-844	Bent Sharp 30° 0.5mm (0.02")
M8SB276H	N/A	Bent Sharp 30° 0.5mm (0.02"), Power Plus
M8WV020	N/A	Hoof w/Dent 45° 2.00mm (0.08")
M8WV031	N/A	Hoof w/Dent 60° 3.10mm (0.122")
M8WV300	N/A	Hoof w/Dent 45° 2.40mm (0.09")

Reviews

There are yet no reviews for this product.